



Caracol Roof Drainage

Areco Sweden AB hereby declares that the **Caracol Rood Drainage products** comply with the CE-marking according to the Swedish Board of Housing's rules for non-harmonized products.

Declaration No. 20121210

HOLDER & MANUFACTURER:

Areco Sweden AB

PRODUCTS:

Roofdrainage systems are made of galvanised pre-painted steel or alu-zinc coated steel sheet. Gutters and pipes are made of DX-52 (0,57 mm) hot dipped galvanized 275 g/m² zink and primer and top coat (High Build Polyester) of approx. 35 µm on each side.

Details are made of DX-51 (1,0 mm) or DX-54 (0,6 mm) with hot dipped galvanized 275 g/m² zink and primer and top coat (High Build Polyester) of approx. 35 µm on each side.

Gutter hooks are fabricated in ST-22, ST-37 galvanized steel (275 g/m²) with powder coat on top of min. 60 µm.

INTENDED USE:

Draining and collecting rainwater from roofs. These products are made within the requirements set by BBR § 2 and products are manufactured within below specifications set by the national Board of Housing, building and planning (BBR):

Installation of surface water drainage: 6:642, § 1

Design, material: 6:644, 1st sentence

TRACEABILITY:

All products are marked with a label, its date of manufacture and coil-ID, to ensure that all goods leaving the factory are traceable back to the original raw material.
(key words: rainwater, pipes and fittings)

Pontus Holgersson
Managing Director